



You have downloaded a document from  
**RE-BUŚ**  
repository of the University of Silesia in Katowice

**Title:** The application of methods of social network analysis in bibliometrics and webometrics Measures and tools

**Author:** Anna Małgorzata Kamińska

**Citation style:** Kamińska Anna Małgorzata. (2018). The application of methods of social network analysis in bibliometrics and webometrics Measures and tools. "Nowa Biblioteka" (Nr 2 (2018), s. 29-46)



Uznanie autorstwa - Użycie niekomercyjne - Bez utworów zależnych Polska - Licencja ta zezwala na rozpowszechnianie, przedstawianie i wykonywanie utworu jedynie w celach niekomercyjnych oraz pod warunkiem zachowania go w oryginalnej postaci (nie tworzenia utworów zależnych).



UNIwersYTET ŚLĄSKI  
W KATOWICACH



Biblioteka  
Uniwersytetu Śląskiego



Ministerstwo Nauki  
i Szkolnictwa Wyższego



**Anna Malgorzata Kamińska**

Department of Library Studies  
Institute of Library and Information Science  
University of Silesia in Katowice  
e-mail: [anna.kaminska@us.edu.pl](mailto:anna.kaminska@us.edu.pl)

## **The application of methods of social network analysis in bibliometrics and webometrics Measures and tools**

**Abstract:** The author describes in the article the use of social network analysis (SNA) methods in the field of bibliometrics and webometrics. Although the beginnings of the application of these methods in various fields took place several years ago, their adoption in bibliometrics and webometrics still has not achieved popularity. While in foreign publications attempts have been made to use SNA methods, e.g. for the analysis of co-authorship networks, the results of Polish national bibliometric studies boil down mainly to tabular forms.

The first part of the article briefly introduces the reader to the world of SNA issues. Next, the author proposes possible interpretations of SNA measures in bibliometric applications. The article concludes with an example of the practical application of selected SNA measures used for data from the national bibliographic database, CYTBIN. The proposed visualizations make it possible to discover relationships in the data analysed which would be difficult, if not impossible, to be noticed in a traditional tabular forms.

**Keywords:** Bibliometrics. CYTBIN. Gephi. Measures. Tools. Social networks. SNA

### **Introduction**

A person widely believed to be the creator of the indexing database systems is Eugene Garfield, who in the article published in “Science” in 1955, proposed to build citation indexes for science as a tool, among others, for the evaluation of scientific journals. The first Science Citation

Index (SCI) was published in 1963 and covered 102 thousand articles that had been published in 1961 in 613 selected magazines (Garfield, 1964). Almost half a century later, Larry Page and Sergey Brin, the developers of the popular and being continuously improved PageRank algorithm used by the Google web search engine, proposed a method for ranking websites that enabled presenting search results in order of their relevance to the query. As they admit, they were inspired by conversations of their parents, who, being scientists, often talked about citations of research work. More information about the PageRank algorithm and other search engine mechanisms can be found in the paper by Amy N. Langville and Carl D. Meyer (Langville, Meyer, 2012).

Regardless of whether the analysed objects will be articles, authors, citations, websites providing links to other websites, or other information referring to people, their artefacts and relationships between them, general principles of perceiving the mechanisms that govern such network structures and analysing phenomena occurring in them are similar. These observations have resulted in the emergence of the term ‘social network analysis’ (SNA). This wider view, along with the rapid development of information technology, has led to the development of a separate field within which methods for analysing phenomena occurring in the aforementioned networks are being developed (Newman, 2001, Taşkın, Düzyol, 2012).

It is worth noting here that history goes, in a sense, in circles – the methods derived from the concept of analysing citations among scientific articles go back onto the ground of the issues of informatology, including bibliometrics. However, despite the fact that studies show (Sosińska-Kalata, 2013) that bibliometrics and related areas account for as much as 17% of all the scientific research into information, the interest in the practical employment of SNA methods in these fields may be noticed primarily in foreign scientific works – such as in the publication by Angel A. Juan, Thanasis Daradoumis, Meritxell Roca, Scott E. Grasman and Javier Faulin (Juan, Daradoumis, Roca, Grasman, Faulin, 2012). Therefore, having gained some experience in the application of SNA methods in the field of bibliometrics while carrying out her own bibliometric research, the author shares her knowledge in this paper.

The first part of the article comprises the basic concepts and terms used in the field of social network analysis. Selected elementary examples illustrate how some particular measures work, and thus reveal the differences between the traditionally used bibliometric methods and the approach described. Next, proposals for the interpretation of selected measures in the field of bibliometrics have been presented. These pro-

posals should be treated as a starting point for further detailed research and one's own reflections. In order to facilitate making first steps in this field of study by interested researchers, the article ends with the introduction to one of the publicly available tools designed for network structure analyses. It is based on a practical example of simple analyses carried out on the basis of data from the CYTBIN bibliographic database.

It should be clearly emphasized that the use of any SNA methods is conditioned by an appropriate structure of bibliographic data, which on a logical level will allow the representation of information in the form of a graph, on the paths of which traversing will be possible. More about graphical representations of bibliographic data may be found in a different study by the author (Kaminska, 2018b), whereas a detailed account of the method that enables collecting data in a system facilitating the creation of such graphs, is provided in a publication entitled 'ProBIT – The Prospective Method of Creating the Traversable Citation Index versus Contemporary Issues in Information Space Organization in Traditional Bibliographic Databases' (Kamińska, 2017c).


### **Selected basic measures of SNA**

An inseparable element of the social network analysis is the calculation of certain measures that are defined by specific, precise mathematical formulas. Since it is a dynamically developing branch of science, it is difficult to present a single publication covering the entire issue, however a sufficient introduction may be found, among others, in the paper by Marc Newman (Newman, 2010). It is worth noting that for carrying out research work, it is not necessary to have detailed knowledge of the theory of SNA measures, as algorithms provided by a specific tool, and, in most cases, implemented by specialists of SNA methods are the most frequently used. What is needed, however, is knowledge and competence for interpreting the results obtained for individual measures.

Certain measures are calculated separately for each vertex or each edge of the graph, and their values may be interpreted as the level of the importance of a given vertex or edge in relation to the function that is being measured. Other measures, however, calculated for the whole graph, help to classify the nature of the connection network for a given community and, for example, may indicate whether a given network is dense, or easy to be broken / disrupted by eliminating its particular nodes, etc. Some measures are defined/established only for the simplest

undirected graphs, while others are generalized in the case of directed and weighted graphs.

To illustrate how the basic, selected measures function, the graph presented in the figure (Figure 1) has been used. It is an undirected and unweighted graph.



**Figure 1.** An example of a graph illustrating the functioning of basic SNA measures  
Source: The author's own study inspired by <https://nauczanki.wordpress.com/tag/centrality/>.

The simplest example of a measure calculated individually for each vertex is the so-called degree of the vertex, whose value is equal to the number of edges converging in it. In the case of directed graphs, it is the indegree and the outdegree of the vertex. In the case of a directed graph of citations between articles, the vertices with the highest indegree constitute interesting elements of this structure, since they are the most frequently cited articles. The vertices having the largest outdegree are those that have the most extensive references. In the case of directed weighted graphs, the degree of a vertex can be calculated not as the number of the edges, but as the sum of the weights of the edges coming into or going out of a given vertex. The values of the measure calculated for an exemplary graph have been presented in the table (Table 1).

The basic measure described above is historically the first of the whole family of measures defined as centrality measures.

Another important measure is Closeness centrality, which describes the average distance between a considered given vertex and the rest of all the remaining ones, calculated according to the shortest paths. This measure may then determine how easy it is for a given individual entity to contact with all the others. The values of the measure calculated for an exemplary graph are shown in the table (Table 2).

**Table 1.** Degree of vertexes

Vertex	Values of the measure
Dariusz	6*
Fryderyk	5
Gaweł	5
Andrzej	4
Bogumił	4
Cyryl	3
Edmund	3
Henryk	3
Ignacy	2
Jan	1

\* It is apparent that the value of this example results from the number of the close neighbours, that is Andrzej, Bogumił, Cyryl, Edmund, Gaweł and Fryderyk.

Source: The author's own study<sup>1</sup>.

**Table 2.** Closeness centrality

Vertex	Value of the measure
Fryderyk	0.6428571428571428*
Gaweł	0.6428571428571428
Dariusz	0.6
Henryk	0.6
Andrzej	0.5294117647058824
Bogumił	0.5294117647058824
Cyryl	0.5
Edmund	0.5
Ignacy	0.42857142857142855
Jan	0.3103448275862069

\* Fryderyk has direct and indirect connections/links with the nine neighbours; the number of the shortest paths leading to them are as follows: Andrzej (1), Bogumił (2), Cyryl (1), Dariusz (1), Edmund (2), Gaweł (1), Henryk (1), Ignacy (2), Jan (3). The value of the measure is calculated as a quotient of the number of the neighbours and the total number of the shortest paths leading to the neighbours, and is 0.642857. The minor deviation in the values in the table results probably from the manner of implementing the calculation algorithm and numerical imprecision of arithmetic calculations with the employment of the floating-point representation of the numbers.

Source: The author's own study<sup>2</sup>.

<sup>1</sup> The values of the measure have been calculated using the Gephi v.0.8.2 application.

<sup>2</sup> The values of the measure have been calculated using the Gephi v.0.8.2 application.

The measure of Betweenness centrality is calculated as the number of the shortest paths between each pair of the network nodes going through a given node. Thus, a node with a high value of this measure acts as a great information relay in the transmission of information on the network. In the case of a graph of article citations, a high value of this measure may indicate that a given article constitutes a bridge in the transmission of knowledge between science fields or between geographically remote centres of science. The values of the measure calculated for an exemplary graph have been shown in the table (Table 3).

**Table 3.** Betweenness centrality

Label	Value of the measure
Henryk	0.3888888888888889
Fryderyk	0.2314814814814815
Gaweł	0.2314814814814815
Ignacy	0.2222222222222222
Dariusz	0.10185185185185183
Andrzej	0.023148148148148147
Bogumił	0.023148148148148147
Cyryl	0.0*
Edmund	0.0
Jan	0.0

\* To illustrate how this measure for individual nodes of the graph has been calculated it would be necessary to present arduous calculations on a matrix representation of this graph; however, even at a glance at the structure, zero values for Cyryl, Edmund and Jan may be easily accounted for—each of the remaining nodes may communicate with any other node without their participation, i.e. through shorter paths.

Source: The author's own study<sup>3</sup>.

Eigenvector centrality, Katz centrality and the PageRank mentioned in the introduction are other popular measures.

An example of a measure calculated for the entire graph may be graph density. This measure demonstrates how close the graph is to being complete, that is, in such a way that each pair of vertices has its own edge. The value of this measure for the presented example is 0.4<sup>4</sup>.

<sup>3</sup> The values of the measure have been calculated using the Gephi v.0.8.2 application.

<sup>4</sup> The value of the measure, which has been calculated using the Gephi v.0.8.2 application, is the quotient of the number of graph arcs and the total number of the lines that might link all the vertices thus forming the so-called complete graph. In this case it is a fraction of the value of 18/45.

## **Possibilities of the interpretation of SNA measures on the ground of bibliometrics and webometrics**

Having already defined graph structures (Kamińska, 2018b) and having acquired elementary knowledge about algorithms of SNA measures and possible interpretation of their results in general, one can try to interpret them on the ground of bibliographic data.

In graphs that depict bibliographic data we usually deal with two types of relationships (types of edges), i.e. citing (related both to articles and authors) and cooperation between authors (co-authorship). The former type of relationship is a directed relation, whereas the latter one is undirected, therefore in the case of measures calculated differently for directed and undirected graphs, both versions should be applied accordingly.

When it comes to the analysis of vertex degrees for citation graphs, the most interesting ones seem to be those whose value calculated for indegree edges is the highest. They reveal potential candidates who make a significant contribution to the development of a given field. However, this measure should not be interpreted uncritically, because the number of citations depends not only on the author's contribution to the development of science, but also on such factors as the number of scientists cooperating with a given author, the popularity of the discipline in a given research centre, etc. Therefore, while taking into account the vertex degree, the impact of the paper should be considered and the most important articles / authors should be rewarded. And thus, the more important vertexes point to a given vertex, the more importance should be attached to it. Such circumstances are taken into account within more advanced measures, such as PageRank. It might be interesting to find vertexes whose degree is high, but the value resulting from the PageRank measure is low. In this case it might indicate potential candidates who did not have the most significant contribution to the development of science, but who were active on social or political grounds. While analysing the number of outgoing edges, it may be noticed which vertexes have the most extensive references – this may indicate that the knowledge is extensive and up-to-date, but in combination with the PageRank measure, it may indicate whether someone had a lot of knowledge and shared it on scientific ground, or was rather active in the organizational and didactic field. In the case of the cooperation graph, it is also possible to assess whether the cooperating clusters of people constituted a strong group, or the groups were numerous but their knowledge on the merits was poorer, and the large number ob-



tained resulted from current trends prevailing in a given scholar centre or from other factors.

The measure of Betweenness centrality calculated for the citation graph may either indicate potential vertexes that act as bridges between various larger groups, which may indicate the interdisciplinary nature of the author's article or interests, or it may point to the emergence of a new domain and to its 'attracting' smaller sub-domains that previously belonged to other disciplines or research areas, etc. In the case of the cooperation graph, this measure may also suggest the interdisciplinary character of a given author, and also, for example, his/her multilingualism, which facilitates his/her communication with different science centres.

The measure of Closeness centrality may indicate how close a given vertex representing the author or article is to the mainstream of the field.

Interesting conclusions may be arrived at through the analysis of the Modularity measure, which is meant to isolate so-called clusters from the graph, which are a set of particularly strongly related nodes that represent candidates for an independent subgraph. The existence of such clusters may point to clear boundaries between subdomains of a given field, but also to increased interactions resulting merely from e.g. geographical proximity of cooperating authors.

In order to find out how closely the scientists have cooperated with one selected author, the measure of Erdős number, very up-to-date and popular in scientific environments, may be implemented. It describes the 'distance of cooperation', and it may be obtained by those who are co-authors of an article with someone who has already acquired it. The author from whom the distance is measured is given the value  $k = 0$ . Each co-author is given a number of  $k + 1$ , where  $k$  is the lowest value among all the co-authors of a given article.

It should be noted that the above considerations define, in a sense, the testing ground for studies, and may constitute a starting point for making hypotheses at the beginning of the analysis process. They should not be treated as universal, since each data set is characterized by a different specificity resulting from a specific field of science, historical and cultural conditions, etc.

## Selected software tools for conducting research by using SNA methods

A selection of software that supports the analysis of graph structures is an important decision that determines both the potential of the analyses carried out and the possibilities of visualizing their results. Due to the dynamic development of the field of social network analysis, there is a whole range of relevant tools on the market, among which Graphviz<sup>5</sup>, Cytoscape<sup>6</sup> and Gephi<sup>7</sup>, at the very least, deserve attention. Each of them is a free tool, distributed according to the open source licence, and each of them has its advantages and disadvantages. In addition to analytical capabilities, an important feature is the „user-friendliness” of the graphical interface, which boils down to the simplicity and intuitiveness of the operations, and indirectly to the possibilities of presenting the results of the analyses. The above-mentioned conditions have been decisive about choosing the Gephi platform as one of the tools for carrying out a certain stage of research using the SNA measures and as a basic tool for visualizing the results of these tests. This solution is relatively new and well suited for both ‘manual exploration’ of graphs through examining the graph structure, and for tabular presentation of vertexes and edges, as well as for performing advanced SNA analyses by means of many built-in algorithms. The tool has a modular architecture and it is possible to expand its capabilities by installing dedicated plug-ins that perform visualization, analytical and other functions. The possibilities of visualizing the results of analyses are significant and enable to define the size of nodes and edges, colours, their signatures or location depending on the value of attributes coming from the source system, as well as on the measures calculated. However, this tool is not devoid of certain flaws in its ‘beta phase’ (the version used for the analyses carried out in the article are only preproduction versions), which sometimes causes uncontrolled crashing of the program or logical inconsistency of certain functions. However, it should be stated that in the final evaluation, the tool turned out to be very sufficient.

---

<sup>5</sup> For more information on Graphviz, please visit <http://www.graphviz.org/>.

<sup>6</sup> For more information on Cytoscape, please visit <http://www.cytoscape.org/>.

<sup>7</sup> For more information on Gephi, please visit <http://www.gephi.org/>.

## **A practical example of the implementation of the SNA measure**

This chapter presents examples of adopting some SNA measures for the purpose of analysing the data made publicly available from the bibliographic database of CYTBIN. According to its developers<sup>8</sup>, CYTBIN is a bibliographic database comprising articles from selected national magazines in the field of library science and scientific information. These are:

- 1) Bibliotekarz (Librarian),
- 2) Praktyka i Teoria Informacji Naukowej i Technicznej (Practice and Theory of Scientific and Technical Information),
- 3) Przegląd Biblioteczny (Library Review),
- 4) Roczniki Biblioteczne (Library Yearbooks),
- 5) Zagadnienia Informacji Naukowej (Issues in Information Science – Information Studies).

The bibliographic descriptions of the registered documents are extended to include information about cited publications that is placed in the references and / or in the bibliographical footnotes.

It should be stressed here that the presented numerical data, which are the values of selected metrics, cannot be interpreted in absolute terms, and that they may be used mainly as an illustration of the application of these metrics and a comparison of the values obtained. This is due to the fragmentary representation of the field by the contents of the analysed database – both in terms of a subset of collected material that does not take into account e.g. monographs, and a quantitative subset of collected information about listed magazines, e.g. articles published in selected years. The presented analyses focus on the perspective of citations among articles, about which the information was collected from the CYTBIN database. The data have not been limited either to a specific time interval or to a specific journal. It is also worth noting that the data made available in this database are collected in a traditional architecture, which means that records concerning cited sources and citing sources constitute separate entities. This results in the fact that in the case where the citing entity is also an entity cited by another citing entity, the information about this citing entity is stored in two separate places in the database. This makes it difficult to traverse the

---

<sup>8</sup> Information about the CYTBIN database may be found at [http://www1.bg.us.edu.pl/bazy/cytbin/opis\\_cytbin.html](http://www1.bg.us.edu.pl/bazy/cytbin/opis_cytbin.html).

citation paths, which, in turn, restricts enjoying the maximum benefits of using certain SNA measures.

One of the simplest and historically first measures of SNA centrality is the degree of the vertex. The graph of citations among articles is a directed and unweighted one, therefore what should be employed in this case is the version of the degree measure developed exactly for this type of graph. Since the edge of the citation is pointed from the citing article to the cited one, the indegree of the vertex shows the total number of citations of the given article. The highest values for the data collected in the database are presented in Table 4.

**Table 4.** The highest values of the degree of the incoming knot

Title	Value of the measure
Słownik encyklopedyczny informacji, języków i systemów informacyjno-wyszukiwawczych (Encyclopedic dictionary of information, languages and systems of information and search)	35
Encyklopedia wiedzy o książce (Encyclopedia of the knowledge of the book)	21
Ustawa z dnia 27 czerwca o bibliotekach (The Act of 27 June on libraries)	17
Słownik terminologiczny informacji naukowej (Terminological dictionary of scientific information)	17
Studium zastosowania kompleksowego zarządzania jakością (TQM) w bibliotekoznawstwie i informacji naukowej (A study on the implementation of total quality management (TQM) in librarianship and scientific information)	15
Ustawa z dnia 27 czerwca 1997 r. o bibliotekach (The Act of 27 June 1997 on libraries)	12
Słownik pracowników książki polskiej (Dictionary of Polish book workers)	12
Automatyzacja bibliotek : zarys historyczny, strategia, perspektywy (Automatization of libraries: historical outline, strategy, perspectives)	11
Reprezentacja wiedzy w systemie informacyjno-wyszukiwawczym : zagadnienia relewancji (Representation of knowledge in the system of information and search: issues concerning relevance/relevance issues)	10
Słownik encyklopedyczny terminologii języków i systemów informacyjno-wyszukiwawczych (Encyclopedic dictionary of terminology of languages and systems of information and search)	10
Encyklopedia współczesnego bibliotekarstwa polskiego (Encyclopedia of contemporary Polish librarianship)	10

The PageRank measure was calculated in the same way, and Table 5 presents the highest calculated values in a descending order. In the case of the evaluation of scientists, currently there is an opinion that the total number of citations of their work is not an indicator that is sufficiently representative for assessing their contribution to the field, so here, in an analogous manner, the statement may be made that the total number of citations of a given article (which does not reflect 'the quality / the significance' of quoting articles) might be too simple an indicator for the evaluation of a specific article. Although the two tables clearly show the titles that appear regularly, their ranking (the order in the list sorted in accordance with the acquired value for each measure) is different. In each of the tables, it can also be seen that some titles do not appear in the other one.

**Table 5.** The highest PageRank values


Title	Value of the measure
Ustawa z dnia 27 czerwca o bibliotekach (The Act of 27 June on libraries)	2,00E-04
Słownik encyklopedyczny informacji, języków i systemów informacyjno-wyszukiwawczych (Encyclopedic dictionary of information, languages and systems of information and search)	1,81E-04
Język haseł przedmiotowych KABA: zasady tworzenia słownictwa (The language of subject entries KABA: principles of creating vocabulary)	1,74E-04
Bomba megabitowa (Megabyte bomb)	1,50E-04
Leksykon biznesu : [słownik angielsko-polski, ponad 2300 terminów] (Lexicon of business: [English-Polish dictionary, over 2300 entries])	1,40E-04
Zaprogramować informatyzację (Programming computerization)	1,36E-04
Słownik terminologiczny informacji naukowej (Terminological dictionary of scientific information)	1,28E-04
Studium zastosowania kompleksowego zarządzania jakością (TQM) w bibliotekoznawstwie i informacji naukowej (A study on the implementation of total quality management (TQM) in librarianship and scientific information)	1,27E-04
Polskie towarzystwa naukowe od XV wieku : wykaz (Polish scientific societies from the 15th century: inventory)	1,22E-04

Promocja w strategii marketingowej biblioteki (Promotion in the library marketing strategy) 1,21E-04

Zakup oraz wykorzystanie książek zagranicznych w bibliotekach akademickich w Polsce (Purchase and use of foreign books in academic libraries in Poland) 1,18E-04

Source: The author's own study.

Let us try to analyse the nearest surroundings of the considered bibliographic entities presented in Figure 2. The size of the vertex reflects its degree, whereas the darkened area shows the value of the PageRank measure (the darker the vertex the greater its value of the measure is). As it may be noticed, these values are often correlated, however there are also cases that show otherwise. For example, 'Encyklopedia wiedzy o książce ...' or 'Słownik pracowników książki ...' have a great indegree of the vertex, but a relatively low PageRank measure.



**Figure 2.** Comparison of the indegree of the vertex with the PageRank value  
Source: The author's own study.

This is because the measure also takes into account ‘deeper dependencies’ that are greater than those resulting merely from the immediate surroundings of a particular vertex. It may be observed here that the sets of citing and cited vertexes (a clockwise curve is an outgoing edge, while an incoming one is counter-clockwise) that constitute the ‘autonomous islands’ are ‘less credible’ for this measure than the items cited by the entities from the centre of the graph. On the other hand, the strength of the impact of the entities citing a lot of different entities is relatively smaller (in relation to a single cited vertex) than of the entity that cites fewer entities. In addition, this measure takes into account the ‘significance’ of the citing entity based on his/her non-immediate surroundings. Another issue here is the fact which has been revealed, in a way, by chance that in the database there are two records that represent the same entity (Ustawa z dnia 27 czerwca 1997 ...). The entity should have been deduplicated, which might, of course, change the result of the ranking. More about the methods of deduplication of bibliographic records based on the similarity of the strings of characters, has been presented in a separate study by the author (Kamińska, 2017b).

The presented example is only the simplest and basic implementation of SNA measures in the field of bibliometrics. What is a great benefit of using SNA methods for bibliometric analysis is various possibilities of visualizing analysis results, which does not only give evidence of their graphical attractiveness and perceivability, but most of all of their being facilitative for drawing conclusions about the closeness and the nature of cooperation between individual scientists. These visualizations, due to printing limitations, would be difficult to present within this article, but examples of them are presented, for example, in works strictly devoted to the visualization of the field of bibliometrics and the creation of ‘maps of science’ (Kamińska, 2018a), (Kamińska, 2017a), and in a study concerning bibliometrical analyses carried out basing on the national bibliographic database CYTBIN (Kamińska, 2017d)<sup>9</sup>. Since the methods of social network analysis constitute a very dynamically developing branch, the verification of newly created methods in terms of their applicability in the field of bibliometrics may be an important and interesting subject of research.

---

<sup>9</sup> The visualization results are also published online: <https://doi.org/10.5281/zenodo.1209337>

## Summary

This article presents an elementary introduction to the issues of the methods of social network analysis, whose use in the field of bibliometrics and webometrics may open up new opportunities for undertaking more advanced research into the development of scientific disciplines, creating visualizations of this development using ‘maps of science’, or evaluation of scientific papers and their authors. It is worth noting that scientometrics, in a sense, has already turned towards social networks due to altmetric analyses, which, however, usually consist in the employment of very basic computational methods for scientific activity that is most often recorded on dedicated online portals. Both on discussion forums and in scientific publications, one may find discussions about the differences in the interpretation of the number of downloads, shares or views of articles by a given author. However, it seems that in scientific research, as in many other areas (e.g. banking), the transfer of ‘the hub’ of a scientific activity to the Internet occurs in an evolutionary manner. Therefore we can witness development / adaptation of mechanisms that can make such measurements more reliable by ensuring, at the appropriate level of the authorization of users, the non-repudiation of their activity or protection against ‘internet robots’ that might inflate altmetric measurements. In this article, the author presents the possibility of reversing the paradigm and turning towards social networks not through analysing internet activities, but by resorting to more advanced methods of the social behaviour analysis that are used for traditional bibliometric research material. At the same time, she tries to inspire other researchers to undertake further research in the field of:

- building their own analytical environments facilitating the implementation of more advanced bibliometric and webometric tests;
- the possibility of using individual SNA measures in the field of information technology, in particular bibliometrics and webometrics;
- the interpretation of results obtained using individual SNA measures;
- the development of new measures intended for the field of bibliometrics and webometrics.

Just as in the case of traditional methods, it is necessary to realize here that the numerical results of the conducted analyses should not be treated in absolute terms, and that they should only be a source of further research, investigations and hypotheses, which, after having taken into account other (perhaps less measurable) circumstances, such as the political system of a given country, the pace of economic development,



and the specificity of individual fields of science, may form the basis for drawing more credible conclusions.

### Bibliography

- Al U., Taşkin Z., Düzyol, G. (2012). Use of Social Network Analysis in Bibliometric Researches. In: *Information on E-motion. Proceedings. BOB-CATSSS 2012, 20th International Conference on Information Science, 23–25 January*, (s. 40–44). Amsterdam: Bock + Herchen Verlag.
- Garfield, E. (1964). Science Citation Index – A New Dimension in Indexing. *Science*, 144(3619), 649–654.
- Juan, A.A., Daradoumis, T., Roca, M., Grasman, S.E., Faulin, J. (2012). *Collaborative and Distributed E-Research. Innovations in Technologies, Strategies and Applications*. Hershey, PA: IGI Global.
- Kamińska, A.M. (2017a). Od druków źródłowych po mapy nauki. Bibliograficzna baza danych GRUBA [From Printed Sources to the Maps of Science. The GRUBA Bibliographic Database]. In: M. Kowalska (ed.), V. Osińska (ed.), *Wizualizacja informacji w humanistyce [Information Visualisation in Humanities]*. Toruń: Wydawnictwo Uniwersytetu Mikołaja Kopernika, 17–36.
- Kamińska, A.M. (2017b). Miary podobieństw łańcuchów znakowych a deduplikacja rekordów w bibliograficznych bazach danych [String Similarity Metrics and Deduplication of Records in Bibliographic Databases]. *Przeгляд Biblioteczny [The Library Review]*, 85(4), 477–495.
- Kamińska, A.M. (2017c). ProBIT – prospektywna metoda tworzenia trawersowalnych indeksów cytowań a współczesne problemy organizacji przestrzeni informacji w tradycyjnych bibliograficznych bazach danych [ProBIT – The Prospective Method of Creating the Traversable Citation Index versus Contemporary Issues in Information Space Organization in Traditional Bibliographic Databases]. *Zagadnienia Informatyki Naukowej [Issues in Information Science]*, 55(1), 66–92.
- Kamińska, A.M. (2017d). Wizualizacje wybranych wskaźników bibliometrycznych na przykładzie bibliograficznej bazy danych CYTBIN [Visualizations of Selected Bibliometric Indicators on the Example of the Bibliographic Database CYTBIN]. *Toruńskie Studia Bibliologiczne [The Bibliological Studies of Torun]*, 10(2), 163–187.
- Kamińska, A.M. (2018a). Visualizations of the GRUBA bibliographic database: From printed sources to the maps of science. In: V. Osinska, G. Osinski (eds.), *Information Visualization Techniques in the Social Sciences and*

- Humanities*. Hershey, PA: IGI Global, 151–174. DOI: 10.4018/978-1-5225-4990-1.ch009
- Kamińska, A.M. (2018b). Zastosowanie struktur grafowych do analiz bibliometrycznych i webometrycznych. Modele i metody. *Nowa Biblioteka. Usługi, Technologie Informacyjne i Media [New Library. Services, Information Technologies and Media]*, 2(29), 47–63.
- Langville, A.N., Meyer C.D. (2012). *Google's PageRank and Beyond: The Science of Search Engine Ranking*. Princeton: Princeton University Press.
- Newman, M. (2010). *Networks. An introduction*. Oxford: Oxford University Press.
- Newman, M. (2001). The structure of scientific collaboration networks. *Proceedings of the National Academy of Sciences of the United States of America*, 98(2), 404–409.
- Sosińska-Kalata, B. (2013). Obszary badań współczesnej informatologii (nauki o informacji) [Research Domains in Contemporary Information Science]. *Zagadnienia Informatyki Naukowej [Issues in Information Science]*, 51(2), 9–42.

*Tekst w wersji poprawionej wpłynął do redakcji 21 stycznia 2018 r.*

**Anna Małgorzata Kamińska**

Zakład Bibliotekoznawstwa

Instytut Bibliotekoznawstwa i Informatyki Naukowej

Uniwersytet Śląski w Katowicach

e-mail: anna.kaminska@us.edu.pl

### **Zastosowanie metod analizy sieci społecznościowych w bibliometrii i webometrii Miary i narzędzia**

**Abstrakt:** W artykule autorka opisuje zastosowanie metod analizy sieci społecznościowych (SNA) w dziedzinie bibliometrii i webometrii. Mimo że metody te zaczęto stosować w różnych dziedzinach kilka lat temu, w przypadku bibliometrii i webometrii nadal nie są one szeroko stosowane. W przypadku publikacji zagranicznych podjęto próby zastosowania metod SNA, np. do analizy sieci współautorstwa, natomiast wyniki studiów polskiej narodowej bibliometrii sprowadzają się głównie do form tabelarycznych.

Pierwsza część artykułu stanowi zwięzłą prezentację świata zagadnień związanych z SNA. Następnie autorka przedstawia możliwe interpretacje metod pomiaru

SNA w odniesieniu do zastosowań bibliometrycznych. Artykuł wieńczy przykład praktycznego zastosowania wybranych metod pomiaru SNA w odniesieniu do bazy danych narodowej bibliografii CYTBIN. Wizualizacje, jakie zaproponowano, umożliwiają odkrycie związków reprezentowanych przez analizowane dane, które w tradycyjnych tabelarycznych ujęciach z trudem można by zobaczyć (jeśli w ogóle).

**Słowa kluczowe:** Bibliometria. CYTBIN. Gephi. Metody pomiaru. Narzędzia. Sieci społecznościowe. SNA